


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                 |                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| (51) International Patent Classification <sup>6</sup> :<br><b>H04R 25/00, A61F 11/04</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>A1</b>                                                                                                                                                                       | (11) International Publication Number: <b>WO 95/01709</b><br>(43) International Publication Date: 12 January 1995 (12.01.95) |
| (21) International Application Number: <b>PCT/AU94/00370</b><br>(22) International Filing Date: 1 July 1994 (01.07.94)<br>(30) Priority Data:<br>PL 9748                      1 July 1993 (01.07.93)                      AU<br>(71) Applicant (for all designated States except US): THE UNIVERSITY OF MELBOURNE [AU/AU]; Grattan Street, Parkville, VIC 3052 (AU).<br>(72) Inventors; and<br>(75) Inventors/Applicants (for US only): CLARK, Graeme, Melbourne [AU/AU]; 13 Banoon Road, Eltham, VIC 3095 (AU). COHEN, Lawrence, Thomas [AU/AU]; 116 Katrina Street, Blackburn North, VIC 3130 (AU). BUSBY, Peter, Andrew [AU/AU]; 24 Redan Road, Caulfield, VIC 3161 (AU).<br>(74) Agent: WATERMARK; Amory Gardens, Level 4, 2 Cavill Avenue, Ashfield, NSW 2131 (AU). | (81) Designated States: AU, CA, JP, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).<br><br>Published<br>With international search report. |                                                                                                                              |

(54) Title: COCHLEAR IMPLANT DEVICES



## (57) Abstract

A cochlear prosthesis comprising an electrode array of individually addressable electrodes and a stimulator device to provide electrical stimuli to selected groupings of electrodes in response to sound signals. The stimuli and the electrode groupings being determined by reference to a predefined instruction set. The cochlear prosthesis is characterized in that in response to different sound signals at least two distinct current distribution geometries are induced in the auditory structures of a user. This may be achieved by using different electrode geometries, different stimulation modes, combinations of stimulation modes and/or electrode geometries.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

|    |                          |    |                                          |    |                          |
|----|--------------------------|----|------------------------------------------|----|--------------------------|
| AT | Austria                  | GB | United Kingdom                           | MR | Mauritania               |
| AU | Australia                | GE | Georgia                                  | MW | Malawi                   |
| BB | Barbados                 | GN | Guinea                                   | NE | Niger                    |
| BE | Belgium                  | GR | Greece                                   | NL | Netherlands              |
| BF | Burkina Faso             | HU | Hungary                                  | NO | Norway                   |
| BG | Bulgaria                 | IE | Ireland                                  | NZ | New Zealand              |
| BJ | Benin                    | IT | Italy                                    | PL | Poland                   |
| BR | Brazil                   | JP | Japan                                    | PT | Portugal                 |
| BY | Belarus                  | KE | Kenya                                    | RO | Romania                  |
| CA | Canada                   | KG | Kyrgyzstan                               | RU | Russian Federation       |
| CF | Central African Republic | KP | Democratic People's Republic<br>of Korea | SD | Sudan                    |
| CG | Congo                    | KR | Republic of Korea                        | SE | Sweden                   |
| CH | Switzerland              | KZ | Kazakhstan                               | SI | Slovenia                 |
| CI | Côte d'Ivoire            | LI | Liechtenstein                            | SK | Slovakia                 |
| CM | Cameroon                 | LK | Sri Lanka                                | SN | Senegal                  |
| CN | China                    | LU | Luxembourg                               | TD | Chad                     |
| CS | Czechoslovakia           | LV | Latvia                                   | TG | Togo                     |
| CZ | Czech Republic           | MC | Monaco                                   | TJ | Tajikistan               |
| DE | Germany                  | MD | Republic of Moldova                      | TT | Trinidad and Tobago      |
| DK | Denmark                  | MG | Madagascar                               | UA | Ukraine                  |
| ES | Spain                    | ML | Mali                                     | US | United States of America |
| FI | Finland                  | MN | Mongolia                                 | UZ | Uzbekistan               |
| FR | France                   |    |                                          | VN | Viet Nam                 |
| GA | Gabon                    |    |                                          |    |                          |

## COCHLEAR IMPLANT DEVICES

### Technical Field

The present invention relates to improvements in auditory prostheses, and more particularly to improvements in stimulation procedures and arrangements for cochlear implants.

### Background Art

The successful operation of a cochlear implant depends in part on the ability to convey pitch information. Differing pitch percepts may be produced by a cochlear implant in two distinct ways. Firstly, electrical stimulation at different sites in the cochlea excites different groups of neurons and because of the tonotopic arrangement of neurons in the cochlea, different pitch sensations result. By tonotopic is meant that the percept corresponding to a particular site in the cochlea changes in pitch from lower to higher as the site is changed in an apical to basal direction. Pitch varied in this way is known as "place pitch". Secondly different pulse rates of electrical stimulation produce different pitch sensations. Pitch varied in this way is known as "rate pitch". The current invention deals with various means of varying place pitch.

There are several commonly known methods or modes of stimulation. Each of these different known modes of operation has traditionally been employed using only one mode in each patient.

One of the current known modes used is bipolar stimulation which generally comprises passing biphasic current pulses between pairs of electrode bands, for example on a 22-band electrode array. The bands may be numbered from 1 at the basal end (broad part of the cochlea spiral, corresponding to high frequencies, near the entry point of the array) to 22 at the apical end (somewhere in the middle of the spiral, corresponding to lower frequencies). In its general sense, bipolar stimulation may involve passing current flows between any two bands. The term bipolar is also used in a specific sense to describe stimulation using two bands adjacent one another (e.g. 3 and 4) if the foregoing numbering system is utilised. More commonly, a bipolar + 1 system is utilised where current flows between a band and the next but one band (e.g. 3 and 5). Similarly, "bipolar + n" systems are known where current

flows between electrode  $k$  and electrode  $k + n + 1$ .

Another known mode of stimulation is "monopolar" or "remote ground". In the following, when reference is made to this system, the term "monopolar" is used. In this case, current flows between one electrode inside the cochlea  
5 (possibly one of the 1 to 22 electrodes in the known system discussed above) and a single electrode somewhere outside the cochlea. This arrangement has some advantages including lower current requirements but, until now, a perceived disadvantage in precision with which current may be delivered.

Another known mode of stimulation employs a single electrode, possibly  
10 one band on the band array (22-band array discussed above) as a return electrode for all stimuli, but different first bands (e.g. 3,1; 4,1; 5,1 ... 22,1). This is a particular type of bipolar (referred hereinafter as "variable bipolar") stimulation. If the return electrode is inside the cochlea it is similar to bipolar stimulation but is very similar to monopolar stimulation if the return electrode is  
15 outside the cochlea.

A still further arrangement referred to as "common ground" uses a variable first electrode and all the other electrodes are connected together as a return.

Generally, as the stimulating electrode changes (in the above-mentioned  
20 22 band array), or in other words the site of stimulation in the cochlea, the pitch sensation changes regularly and monotonically (from high for low numbered electrodes to low for high numbered electrodes), as would be expected from the tonotopic arrangement of the cochlea. However, this is not always the case, and the pitch sensations perceived for the different modes described above are  
25 different.

The current distribution associated with stimulation of a given electrode site may also be varied by the type of electrode in the array, or more relevantly, the geometry of the electrode. There are various geometries disclosed in the prior art, including band electrodes, and sided arrays with conductive material  
30 only on part of the array surface. Use of different electrode geometries will also produce different current distributions around the site of the stimulus. In known arrangements, various electrode geometries have been used for differing

purposes, however, the geometry of the intracochlear electrodes in any particular patient has been the same.

The objective of the present invention is to provide an improved arrangement for use in cochlear implant devices and an improved method of  
5 stimulating electrodes in such devices that will result in better speech perception in patients.

### **Summary of Invention**

According to one aspect the present invention provides an improved method of stimulating a cochlear prosthesis, said prosthesis comprising an  
10 electrode array including a plurality of individually addressable electrodes, and a stimulator device adapted to provide electrical stimuli to selected groups of said electrodes in response to sound signals, said stimuli and the corresponding groupings of electrodes being determined by reference to a predefined instruction set,

15 characterised in that in response to different sound signals at least two distinct current distribution geometries may be induced in the auditory structures of a user.

The variations in current distribution geometries which are referred to are intended to encompass changes in geometry, rather than mere changes in  
20 intensity. These variations may be produced by a variety of factors including selection of different modes of stimulation and use of different electrode geometries.

According to another aspect the present invention provides an auditory prosthesis, comprising an electrode array including a plurality of individually  
25 addressable electrodes, and a stimulator device adapted to provide electrical stimuli to selected groups of said electrodes in response to sound signals, said stimuli and the corresponding groupings of electrodes being determined by reference to a predefined instruction set ,

characterised in that in response to different sound signals at least two  
30 distinct current distribution geometries may be induced in the auditory structures of a user.

It will be appreciated that in the foregoing paragraph and in the following

specification and claims a "group" of electrodes may comprise one electrode and where more than one electrode comprises a group, those electrodes may be adjacent one another or may be selected in any desired pattern from the complete array to achieve a desired beneficial result in any patient. Further the  
 5 different stimulation modes may include but not be limited to any one of bipolar, variable bipolar, monopolar or common ground modes.

### **Brief Description of Drawings**

The invention will be described with reference to the accompanying figures, in which:

- 10        Figure 1 illustrates estimates of pitch for several patients;
- Figure 2, 4 and 6 illustrates pitch estimations by patients in response to stimulation in different modes;
- Figures 3, 5 and 7 illustrate pitch maps using combined modes;
- Figure 8 illustrates the general arrangement of a cochlear implant  
 15        system; and
- Figure 9 illustrates a further set of pitch estimates for different modes in three patients P7, P8, P9.

### **Detailed Description**

The present invention will be more fully described in relation to the  
 20 commercially available cochlear implant devices, receiver stimulator units and speech processors, particularly those available from Cochlear Pty. Ltd. However, it will be understood that the present invention may be implemented in other arrangements - the inventive concept is of broad application. Cochlear implant devices that may, although not necessarily, be employed in the  
 25 performance of the present invention are the Cochlear CI1 (22 active bands on the array), the CI1 ("20+2") (20 active bands on the array and a choice of two electrodes outside the cochlear) and any similar future development. The Cochlear CI1 is the device that is presently in widespread use. The "20+2" version is essentially an experimental variant of the CI1 in which two circuit  
 30 points are connected to two external electrodes instead of the two most basal bands. This allows monopolar stimulation.

The general arrangement may be understood with reference to figure 8.

The reader will be aware of the principles generally used in construction and operation of such an arrangement, and so only a general overview will be provided.

Sound signals are detected by microphone 8, and passed to speech processor 7. Processor 7 analyses the incoming sound signal and produces a set of stimulus instructions for the electrode array 1. Various techniques for speech processing are known to those skilled in this field, and the present invention is not dependant on any particular form of processing being employed. Power and signals are communicated to the receiver/stimulators unit (RSU)3, preferably via a transcutaneous inductive link 5, 6. The RSU 3 provides stimuli to selected electrodes of electrode array 1 via the wire is connection 2. The stimuli are preferably short biphasic pulses.

It will be appreciated that conventional devices allow for the selection of the mode of stimulation, and may be used to provide the combined mode stimulation according to an embodiment of the present invention.

The present invention provides an improved stimulation arrangement by recognising that utilising different geometries of current distribution for a single implanted array can enable a better range of pitch percepts for the patient. Instead of a stimulation pattern which is, for example, fixed in bipolar + 1 mode for all electrodes, a mixture of modes may be used for different electrodes, for example. Similarly, the electrode geometry may be varied within the array, to allow for different sites within the cochlea to be stimulated by different geometries of current distribution, and so produce an improved set of pitch percepts. These changes operate to change the current distribution associated with stimulation at a given implanted site, which alters the associated pitch percept and allows for a wider range of possible pitch percepts to be delivered.

For example, some patients might obtain an optimum result if bipolar+1 stimulation was used on the basal electrodes and monopolar stimulation was used on the more apical electrodes. The present Cochlear array (in its standard bipolar mode) provides "longitudinal" stimulation, as current flows between two bands at different positions along the array. "Radial" stimulation is another possibility. In such a case, a band might be split, and current might flow

between the halves of the band. It will be appreciated that the use of a specialised array, in which for example certain electrodes are split rings and the remainder are bands, is a means of implementing the present invention.

Studies carried out by the inventors provide support for the need to  
 5 develop an invention of the type described here, by the use of which the place  
 pitch perceived by a patient may be improved. These studies have been made  
 regarding pitch estimation for different modes of stimulation with either standard  
 electrode insertion depths or with deep electrode insertions. In a first of these  
 studies nine postlinguistically deafened adult patients with electrode arrays  
 10 inserted to standard depths were investigated. Pitch estimates for stimulating  
 electrodes along the electrode array were then determined using bipolar,  
 common ground and "variable bipolar" stimulation (i.e. in this case between  
 individual electrodes along the array and the most basal electrode on the  
 array). At the maximum comfort level of the patients, pitch was measured using  
 15 a single interval numerical estimation method similar to that used in previous  
 studies on pitch estimation for electrical stimulation (Shannon, 1983; Dorman  
 et al., 1990), and this is the basis for the left hand scale on the pitch estimates  
 graphs in the accompanying figures.

The results of this investigation as shown in part in the accompanying  
 20 figure 9 indicated some differences to the expected regularity and monotonicity  
 of pitch estimations. It was also observed when using "variable bipolar"  
 stimulation that a reduced range for pitch for patients occurred when the return  
 electrode was internal to the cochlea. Individual differences in pitch estimations  
 were also observed among the three modes of stimulation for most patients.  
 25 Furthermore, current levels needed to achieve threshold (T) and comfortable  
 listening (C) levels varied with the mode of stimulation employed. No consistent  
 pattern emerged with threshold and comfortable listening levels for bipolar  
 stimulation. With variable bipolar stimulation threshold and comfortable  
 listening levels increased in an apical to basal direction for most patients.  
 30 Perhaps this was to be expected because of the narrowing spatial extent. With  
 common ground stimulation, there was a tendency for threshold and  
 comfortable listening levels to be higher for electrodes in the middle of the array



rather than either end of the array. The size of the dynamic range when common ground stimulation was used seemed to be substantially equivalent to that using bipolar stimulation and was usually greater than for variable bipolar stimulation.

5        Figure 1 illustrates the results of another study of pitch estimations for 6 subjects with deeply inserted electrode arrays. In addition to the bipolar+1 stimulation used on all subjects, monopolar was also used for subjects S5 and S6. This shows departures from the expected regular variation of pitch estimate with electrode for four patients (S3, S4, S5, S6) for bipolar+1  
10 stimulation, and for two subjects with monopolar stimulation (S5, S6). For each patient, N is the number of repetitions, and the accompanying key indicates the differing percepts obtained for some patients using bipolar+1, monopolar with ball electrode (MONO-B), and monopolar with plate electrode (MONO-P). Pulsedur is the pulse duration in for each phase of the biphasic pulse each  
15 case in  $\mu$ s.

These investigations support the need for this invention in which the place pitch perceived by a patient may be improved by utilizing more than one mode of stimulation in the one patient.

Figures 2 to 7 illustrate examples of the use of combining modes to  
20 produce a more appropriate pitch set for a given patient. It is emphasised that in any given case detailed study needs to be made of responses by the patient to design an optimum pitch set for that patient. In some patients, the present invention may not be required, or may be ineffective - this needs to be determined on a case by case basis, and desirable pitch sets will not always be  
25 achievable. In general, it is greatly desirable to produce a pitch set in which stimulation of progressively more apical electrodes results in a regularly and monotonically decreasing pitch percept.

Referring to figure 2, ( taken from figure 1) a comparison of the percepts for monopolar and bipolar +1 modes shows a relatively flat response with  
30 monopolar mode for the more basal electrodes, and a more desired outcome above electrode 12. Conversely, the pitch percepts for bipolar+1 mode above electrode 12 show little variation, however, regular and monotonic percepts

were recorded at the basal end. Figure 3 shows a pitch set for the same patient as in figure 2, where the modes of stimulation have been mixed to provide a more regular outcome.

Figure 4 ( taken from figure 9) illustrates for another patient the percepts  
5 obtained for common ground, and those obtained for bipolar+1 mode. Figure 5 shows a pitch set derived by combining the common ground and bipolar+1 modes for this patient. Again, a much more regular pitch set can be derived than from either alone.

Figure 6 ( taken from figure 9) illustrates variable bipolar mode and  
10 bipolar+1 mode percepts for another patient. By variable bipolar is meant in this case utilising electrode 1 as the return electrode. As this patient has several bands outside the cochlea, this is very similar to monopolar for this patient. Figure 7 provides a pitch set combining the variable bipolar and bipolar+1 modes. Again, a much more regular pattern of pitch percepts can be obtained.

15 It will be appreciated that other techniques for varying the current distribution associated with a given stimulation site may be used to provide further differences in pitch percepts, so as to select a pitch set for a given patient so as to produce a more regular and monotonic function. Further, the use of techniques such as composite pitch to provide pitch percepts not  
20 perceived with any given electrode site under, say, bipolar+1 stimulation can provide additional percepts to those possible using a single mode alone. It will be appreciated that while the discussion above has predominantly been concerned with combining modes, variation of other aspects as discussed, and combinations of, say, electrode geometry variations and mode variations are  
25 contemplated within the scope of the present invention.

**CLAIMS**

1. An improved method of stimulating a cochlear prosthesis, said prosthesis comprising an electrode array including a plurality of individually addressable electrodes, and a stimulator device adapted to provide electrical stimuli to selected groupings of said electrodes in response to sound signals, said stimuli and the corresponding groupings of electrodes being determined by reference to a predefined instruction set ,

characterised in that in response to different sound signals at least two distinct current distribution geometries may be induced in the auditory structures of a user.

2. A method according to claim 1, wherein said different current distribution geometries are induced by one or a combination of factors selected from the group comprising:

selection of different modes of stimulation; and  
use of different electrode geometries.

3. A method according to claim 1 or claim 2, wherein said electrodes are grouped into at least two groups, and the electrode or electrodes in each said group are stimulated using different stimulation modes.

4. A method according to claim 1 or claim 2, wherein one or more electrodes in one or more groups of said electrodes in the electrode array have a differing geometry to the electrode or electrodes in another group of said electrodes in the electrode array.

5. A method according to any one of the preceding claims, wherein said electrode array includes at least one extra-cochlear electrode.

6. An auditory prosthesis, comprising an electrode array including a plurality of individually addressable electrodes, and a stimulator device adapted to provide electrical stimuli to selected groupings of said electrodes in

response to sound signals, said stimuli and the corresponding groupings of electrodes being determined by reference to a predefined instruction set,

characterised in that in response to different sound signals at least two distinct current distribution geometries may be induced in the auditory structures of a user.

7. A prosthesis according to claim 6, wherein said different current distribution geometries are induced by one or a combination of factors selected from the group comprising:

selection of different modes of stimulation; and  
use of different electrode geometries.


8. A prosthesis according to claim 6 or claim 7, wherein said electrodes are grouped into at least two groups, and the electrode or electrodes in each said group are stimulated using different stimulation modes.

9. A prosthesis according to claim 6 or claim 7, wherein one or more electrodes in one or more groups of said electrodes in the electrode array have a differing geometry to the electrode or electrodes in another group of said electrodes in the electrode array.

10. A prosthesis according to any one of claims 8 to 13, wherein said electrode array includes at least one extra-cochlear electrode.

1/6

Fig 1.



2/6

Fig 2.





Fig 3.



3/6

Fig 4.





Fig 5.



4/6

Fig 6.





Fig 7.









Fig 8.

6/6

Fig 9.



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| <b>A. CLASSIFICATION OF SUBJECT MATTER</b><br>Int. Cl. <sup>6</sup> H04R 25/00, A61F 11/04<br><br>According to International Patent Classification (IPC) or to both national classification and IPC                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                       |
| <b>B. FIELDS SEARCHED</b><br><br>Minimum documentation searched (classification system followed by classification symbols)<br>IPC as above<br><br>Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched<br>au : IPC as above + A61F 2/48, 2/18, A61N 1/36, G06F 15/42<br><br>Electronic data base consulted during the international search (name of data base, and where practicable, search terms used)<br>JOPAL                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                       |
| <b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                       |
| Category*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Citation of document, with indication, where appropriate, of the relevant passages                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Relevant to Claim No. |
| Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | US,A, 5215085 (von WALLENBERG-PACHALY) 1 June 1993 (01.06.93)<br>column 2, lines 15/65, column 3 lines 16/38, column 4 lines 3/30,<br>column 5 lines 48/58                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1,5,6,10              |
| Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | US,A, 5061282 (JACOBS) 29 October 1991 (29.10.91)<br>column 2 line 54 to column 3 line 5, column 4 lines 4/9, column 6 lines 3/20,<br>column 7 line 7 to column 8 line 51                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1,6                   |
| Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | US,A, 4823795 (Van Den HONERT) 25 April 1989 (25.04.89)<br>column 8 line 59 to column 9 line 29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1,6                   |
| <div style="display: flex; justify-content: space-between;"> <div style="text-align: left;"> <input checked="" type="checkbox"/> Further documents are listed<br/>in the continuation of Box C.         </div> <div style="text-align: left;"> <input checked="" type="checkbox"/> See patent family annex.         </div> </div>                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                       |
| * Special categories of cited documents :<br><br>"A" document defining the general state of the art which is<br>not considered to be of particular relevance<br>"E" earlier document but published on or after the<br>international filing date<br>"L" document which may throw doubts on priority claim(s)<br>or which is cited to establish the publication date of<br>another citation or other special reason (as specified)<br>"O" document referring to an oral disclosure, use,<br>exhibition or other means<br>"P" document published prior to the international filing date<br>but later than the priority date claimed | "T" later document published after the international<br>filing date or priority date and not in conflict<br>with the application but cited to understand the<br>principle or theory underlying the invention<br>"X" document of particular relevance; the claimed<br>invention cannot be considered novel or cannot be<br>considered to involve an inventive step when the<br>document is taken alone<br>"Y" document of particular relevance; the claimed<br>invention cannot be considered to involve an<br>inventive step when the document is combined<br>with one or more other such documents, such<br>combination being obvious to a person skilled in<br>the art<br>"&" document member of the same patent family |                       |
| Date of the actual completion of the international search<br>14 October 1994 (14.10.94)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Date of mailing of the international search report<br><div style="font-size: 1.2em; font-family: cursive;">20 Oct 1994 (20.10.94)</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                       |
| Name and mailing address of the ISA/AIJ<br><br>AUSTRALIAN INDUSTRIAL PROPERTY ORGANISATION<br>PO BOX 200<br>WODEN ACT 2606<br>AUSTRALIA<br><br>Facsimile No. 06 2853929                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Authorized officer<br><br><div style="text-align: center; font-size: 1.2em; font-family: cursive;">R. FINZI</div><br>Telephone No. (06) 2832213                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                       |

| C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT |                                                                                                                                                                                          |                       |
|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| Category*                                            | Citation of document, with indication, where appropriate of the relevant passages                                                                                                        | Relevant to Claim No. |
| Y                                                    | US,A, 4813417 (SOLI et al) 21 March 1989 (21.03.89)<br>column 1 lines 47/64, column 9 line 56 to column 10 line 26                                                                       | 1,6                   |
| Y                                                    | US,A, 4648403 (Van COMPERNOLLE) 10 March 1987 (10.03.87)<br>column 2 lines 17/42, column 6 lines 1/19, claim 1                                                                           | 1,6                   |
| Y                                                    | US,A, 4593696 (HOCHMAIR et al) 10 June 1986 (10.06.86)<br>column 1 lines 44/53, column 3 lines 15/19,49/62, column 4 lines 8/36,<br>column 5 lines 63/68, claim 4                        | 1,5,6,10              |
| Y                                                    | AU,A1, 18194/83 (THE UNIVERSITY OF MELBOURNE) 23 February 1983<br>(23.02.83)<br>page 3 lines 15/31, page 4 lines 20/25, page 5 lines 1/15                                                | 1,2,3,6,7,8           |
| Y                                                    | US,A, 5095904 (SELIGMAN et al) 17 March 1992 (17.03.92)<br>column 10 lines 17/31, column 11 line 52 to column 12 line 13,<br>column 14 lines 37/51                                       | 1,6                   |
| Y                                                    | US,A, 4515158 (PATRICK et al) 7 May 1985 (07.05.85)<br>Abstract, column 1 line 51 to column 2 line 9, column 4 lines 38/65                                                               | 1,6                   |
| Y                                                    | US,A, 4441202 (TONG et al) 3 April 1984 (03.04.84)<br>column 2 lines 12/27, column 4 lines 23/56, column 6 lines 43/50                                                                   | 1,6                   |
| Y                                                    | WO,A, 92/08330 (COCHLEAR PTY LIMITED & THE UNIVERSITY OF<br>MELBOURNE) 14 May 1992 (14.05.92)<br>page 3 lines 14/24, page 11 lines 16/23, page 17 lines 1/3,17/28,<br>page 18 lines 6/11 | 1,6                   |

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

| Patent Document<br>Cited in Search<br>Report |          |          |                      | Patent Family Member |                     |          |                     |
|----------------------------------------------|----------|----------|----------------------|----------------------|---------------------|----------|---------------------|
| US                                           | 5215085  | AU       | 37756/89             | EP                   | 379541              | WO       | 9000040             |
| US                                           | 5061282  | AU       | 63819/90             | AU                   | 65437/90            | WO       | 9105523             |
| US                                           | 4823795  | AU<br>JP | 12119/88<br>63242253 | CA                   | 1312136             | EP       | 282335              |
| US                                           | 4813417  | AU<br>JP | 12073/88<br>63242252 | CA                   | 1311290             | EP       | 282336              |
| US                                           | 4648403  | NONE     |                      |                      |                     |          |                     |
| US                                           | 4593696  | AU<br>CN | 51720/85<br>86100219 | BR<br>EP             | 8600156<br>190836   | CA<br>JP | 1247227<br>61170457 |
| AU                                           | 18194/83 | NONE     |                      |                      |                     |          |                     |
| US                                           | 5095904  | AU<br>WO | 63392/90<br>9103913  | CA                   | 2024845             | EP       | 450004              |
| US                                           | 4515158  | CA<br>JP | 1189147<br>58029300  | DK<br>AU             | 5498/81<br>78481/81 | EP       | 54418               |
| US                                           | 4441202  | AU<br>WO | 59812/80<br>8002767  | DK<br>CA             | 365/81<br>1165884   | EP       | 29048               |
| WO                                           | 9208330  | CA       | 2095344              | EP                   | 555278              |          |                     |
|                                              |          |          |                      |                      |                     |          |                     |
| END OF ANNEX                                 |          |          |                      |                      |                     |          |                     |